

WEST Search History for Application 10507009

Creation Date: 2010012514:44

ioannides-constantin\$.in.PGPB, USPT, EPAB, JPAB, DWPI OR YES 10-10-2008
campbell-martin\$.in.PGPB, USPT, EPAB, JPAB, DWPI OR YES 10-10-2008
obrian-catherine\$.in.PGPB, USPT, EPAB, JPAB, DWPI OR YES 10-10-2008
o'brian-catherine\$.in.PGPB, USPT, EPAB, JPAB, DWPI OR YES 10-10-2008
(o'brian-catherine\$.in.) not (obrian-catherine\$.in.)PGPB, USPT, EPAB, JPAB,
DWPI OR YES 10-10-2008
peoples-george\$.in.PGPB, USPT, EPAB, JPAB, DWPI OR YES 10-10-2008
(peoples-george\$.in.) or (o'brian-catherine\$.in.) or (campbell-martin\$.in.) or
(ioannides-constantin\$.in.)PGPB, USPT, EPAB, JPAB, DWPI OR YES 10-10-2008
(peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or
ioannides-constantin\$.in.) and substitut\$7PGPB, USPT, EPAB, JPAB,
DWPI OR YES 10-10-2008
(peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or
ioannides-constantin\$.in. and substitut\$7) and immunogenicityPGPB, USPT, EPAB, JPAB,
DWPI OR YES 10-10-2008
(peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or
ioannides-constantin\$.in. and substitut\$7 and immunogenicity) and modif\$7PGPB, USPT,
EPAB, JPAB, DWPI OR YES 10-10-2008
(peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or
ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7) and
iso-phePGPB, USPT, EPAB, JPAB, DWPI OR YES 10-10-2008
epitope same CTL same modif\$7 same substitut\$8PGPB, USPT, EPAB, JPAB,
DWPI OR YES 10-10-2008
(epitope same CTL same modif\$7 same substitut\$8) same immunogenicityPGPB, USPT,
EPAB, JPAB, DWPI OR YES 10-10-2008
(epitope same CTL same modif\$7 same substitut\$8 same immunogenicity) not
(peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or
ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7)PGPB, USPT,
EPAB, JPAB, DWPI OR YES 10-10-2008
heteroclitic adj peptide\$PGPB, USPT, EPAB, JPAB, DWPI OR YES 10-10-2008
(heteroclitic adj peptide\$) same (TCR adj contact\$)PGPB, USPT, EPAB, JPAB,
DWPI OR YES 10-10-2008
(heteroclitic adj peptide\$ same (TCR adj contact\$)) not (epitope same CTL same modif\$7
same substitut\$8 same immunogenicity not peoples-george\$.in. or o'brian-catherine\$.in. or
campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and
modif\$7)PGPB, USPT, EPAB, JPAB, DWPI OR YES 10-10-2008
(heteroclitic adj peptide\$) not ((peoples-george\$.in. or o'brian-catherine\$.in. or
campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and
modif\$7) or (epitope same CTL same modif\$7 same substitut\$8 same immunogenicity not
peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or
ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7))PGPB, USPT,
EPAB, JPAB, DWPI OR YES 10-10-2008
ioannides-constantin\$.in.PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
campbell-martin\$.in.PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
obrian-catherine\$.in.PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
o'brian-catherine\$.in.PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009

(o'brian-catherine\$.in.) not (obrian-catherine\$.in.)PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 peoples-george\$.in.PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 (peoples-george\$.in.) or (o'brian-catherine\$.in.) or (campbell-martin\$.in.) or (ioannides-constantin\$.in.)PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 (peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in.) and substitut\$7PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 (peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7) and immunogenicityPGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 (peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity) and modif\$7PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 (peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7) and iso-phePGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 epitope same CTL same modif\$7 same substitut\$8PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 (epitope same CTL same modif\$7 same substitut\$8) same immunogenicityPGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 (epitope same CTL same modif\$7 same substitut\$8 same immunogenicity) not (peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7)PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 heteroclitic adj peptide\$PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 (heteroclitic adj peptide\$) same (TCR adj contact\$)PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 (heteroclitic adj peptide\$) not ((peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7) or (epitope same CTL same modif\$7 same substitut\$8 same immunogenicity not peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7))PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009
 (heteroclitic adj peptide\$ not (peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7 or epitope same CTL same modif\$7 same substitut\$8 same immunogenicity not peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7)) and @pd > 20081010PGPB, USPT, EPAB, JPAB, DWPI OR 05-08-2009

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
ioannides-constantin\$.in.	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010

campbell-martin\$.in.	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
obrian-catherine\$.in.	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
o'brian-catherine\$.in.	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
(o'brian-catherine\$.in.) not (obrian-catherine\$.in.)	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
peoples-george\$.in.	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
(peoples-george\$.in.) or (o'brian-catherine\$.in.) or (campbell-martin\$.in.) or (ioannides-constantin\$.in.)	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
(peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in.) and substitut\$7	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
(peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7) and immunogenicity	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
(peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity) and modif\$7	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010

(peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7) and iso-phe	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
epitope same CTL same modif\$7 same substitut\$8	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
(epitope same CTL same modif\$7 same substitut\$8) same immunogenicity	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
(epitope same CTL same modif\$7 same substitut\$8 same immunogenicity) not (peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7)	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
heteroclitic adj peptide\$	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
(heteroclitic adj peptide\$) same (TCR adj contact\$)	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
(heteroclitic adj peptide\$) not ((peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7) or (epitope same CTL same modif\$7 same substitut\$8 same immunogenicity not peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7))	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
(heteroclitic adj peptide\$ not (peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7 or epitope same CTL same modif\$7 same substitut\$8 same immunogenicity not peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7)) and	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010

@pd > 20081010					
(heteroclitic adj peptide\$ not (peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7 or epitope same CTL same modif\$7 same substitut\$8 same immunogenicity not peoples-george\$.in. or o'brian-catherine\$.in. or campbell-martin\$.in. or ioannides-constantin\$.in. and substitut\$7 and immunogenicity and modif\$7) and @pd > 20081010) and @pd > 20090508	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010
peptide adj attenuation	PGPB, USPT, EPAB, JPAB, DWPI	OR	YES		01-25-2010